

SAFETY Lock
semiAutomatic
HAND GUN'S, SIZE 10F4
10F7














FIG. 9 SPRINGS

FIG. 8 SPRING PIN




FIG. 9 SPRINGS

FIG. 10

LOCK IN FIRE POSITION




FIG. 11

LOCK IN SAFE POSITION

KEY & RINGS INNER CASING OUTER CASING LOCK CORE

	Diameter 1 1/32	Diam. 1 1/32	Diam. 1 1/32	LOCK CORE
SIZE 1	1" X 5/8" X 1/16"	1" X 1/4" X 1/64"	2" X 1/2" X 1/32"	3 1/16" X 1/32"
SIZE 2	7/8" X 5/8" X 1/16" D 1/4"	7/8" X 1/4" X 1/64" D 3/64"	7/8" X 1/2" X 1/32" D 1/32"	3 1/16" X 2 1/64"
SIZE 3	7/8" X 5/8" X 1/16" D 9/16"	7/8" X 1/4" X 1/64" D 9/16"	7/8" X 1/2" X 1/32" D 2 1/64"	3 1/16" X 5 1/16"
SIZE 4	1 1/2" X 5/8" X 1/16" D 1 9/16"	1 1/2" X 1/4" X 1/64" D 1 9/16"	1 1/2" X 1/2" X 1/32" D 2 1/64"	3 1/16" X 1 9/64"

FIG. 12 SPRING PIN




FIG. 13








FIG. 13A




* D = DIAMETER

FIG. 10



FOI090" 86088460




50F7

50F7

FD-302 (Rev. 11-27-60)

60F 7

LOCK IN FIRE POSITION



60F 7

FD-302 (Rev. 11-27-70)

Lock in SAFE Position

